


# **CLAIMS (UNAMENDED)**

This listing of claims will replace all prior versions, and listings, of claims in the application:


Claim 1 (Previously Presented): A method for reducing the signs of cutaneous aging on a person in need thereof, comprising applying onto skin comprising signs of cutaneous aging a composition comprising an amount of at least one grafted silicone polymer effective to reduce signs of cutaneous aging, wherein said grafted silicone polymer comprises a polysiloxane portion and a portion comprising a non-silicone organic chain, one of the two portions constituting a main chain of the polymer and the other being grafted to the main chain, wherein the grafted silicone polymer is a polymer with a polysiloxane backbone grafted by at least one non-silicone organic monomer and comprises, in its structure, the unit of following formula (IV):



wherein the grafted silicone polymer corresponding to the formula (IV) is a polydimethylsiloxane to which are grafted, via a thiopropylene connecting link, mixed polymer units comprising poly ((meth)acrylic acid) and poly (alkyl (meth) acrylate).

Claim 2 (Canceled).

Claim 3 (Previously Presented): A method for reducing wrinkles on a person in need thereof comprising applying onto skin comprising wrinkles a composition comprising a wrinkle-reducing effective amount of at least one grafted silicone polymer comprising a polysiloxane portion and a portion comprising a non-silicone organic chain, one of the two portions constituting a main chain of the polymer and the other being grafted to the main chain, wherein the grafted silicone polymer is a polymer with a polysiloxane backbone grafted by at least one non-silicone organic monomer and comprises, in its structure, the unit of following formula (IV):



wherein the grafted silicone polymer corresponding to the formula (IV) is a polydimethylsiloxane to which are grafted, via a thiopropylene connecting link, mixed polymer units comprising poly ((meth)acrylic acid) and poly (alkyl (meth) acrylate).

Claims 4-18 (Canceled).

Claim 19 (Previously Presented): The method of Claim 1 or 3, wherein the grafted silicone polymer comprises from 0.03 to 25% of the total weight of the composition.

Claim 20-23 (Canceled).

Claim 24 (Previously Presented): The method of Claim 1, wherein the unit of formula (IV) has all of the following characteristics:

- G<sub>1</sub> is a C<sub>1</sub>-C<sub>10</sub> alkyl group;
- n is not zero and G<sub>2</sub> is a divalent C<sub>1</sub>-C<sub>3</sub> group;
- G<sub>3</sub> is a polymeric group prepared by the (homo)polymerization of at least one monomer comprising a carboxylic acid group and having ethylenic unsaturation;
- G<sub>4</sub> is a polymeric group prepared by the (homo)polymerization of at least one (C<sub>1</sub>-C<sub>10</sub>) alkyl (meth) acrylate monomer.

Claim 25 (Previously Presented): The method of Claims 1 or 3, wherein the grafted silicone polymer comprises from 0.3 to 6% of the total weight of the composition.

Claim 26 (Previously Presented): The method of Claims 1 or 3, wherein the grafted silicone polymer comprises approximately 2% of the total weight of the composition.

Claim 27 (Previously Presented): The method according to Claim 1, further comprising allowing said composition to remain on the skin after said applying, thereby forming a film.

Claim 28 (Previously Presented): The method according to Claim 1, further comprising allowing said composition to remain on the skin after said applying, thereby forming a film.

Claim 29 (Previously Presented): The method according to Claim 1, further comprising allowing said composition to remain on the skin after said applying, thereby forming a film.

Claim 30 (Canceled).

Claim 31 (Previously Presented): The method of claim 1, wherein the grafted silicone polymer comprises from 0.03 to 25% of the total weight of the composition.

Claim 32 (Previously Presented): The method of claim 1, wherein the grafted silicone polymer comprises from 0.3 to 6% of the total weight of the composition.


Claim 33 (Previously Presented): The method of claim 1, wherein the grafted silicone polymer comprises approximately 2% of the total weight of the composition.

Claim 34-47 (Canceled).

Claim 48 (Previously Presented): The method of Claims 1 or 3, wherein the grafted silicone polymer comprises from 2 to 7% of the total weight of the composition.

Claim 49 (Previously Presented): The method of Claims 1 or 3, wherein the grafted silicone polymer comprises from 2 to 6% of the total weight of the composition.


Claim 50 (Previously Presented): A method for reducing the signs of cutaneous aging on a person in need thereof, comprising applying onto skin comprising signs of cutaneous aging a composition comprising an aqueous phase and, in the aqueous phase, an amount of at least one grafted silicone polymer effective to reduce signs of cutaneous aging, wherein said grafted silicone polymer comprises a polysiloxane portion and a portion comprising a non-silicone organic chain, one of the two portions constituting a main chain of the polymer and the other being grafted to the main chain, wherein the grafted silicone polymer is a polymer with a polysiloxane backbone grafted by at least one non-silicone organic monomer and comprises, in its structure, the unit of following formula (IV):



wherein the grafted silicone polymer corresponding to the formula (IV) is a

polydimethylsiloxane to which are grafted, via a thiopropylene connecting link, mixed polymer units comprising poly ((meth)acrylic acid) and poly (alkyl (meth) acrylate).

Claim 51 (Previously Presented): A method for reducing wrinkles on a person in need thereof comprising applying onto skin comprising wrinkles a composition comprising an aqueous phase and, in the aqueous phase, a wrinkle-reducing effective amount of at least one grafted silicone polymer comprising a polysiloxane portion and a portion comprising a non-silicone organic chain, one of the two portions constituting a main chain of the polymer and the other being grafted to the main chain, wherein the grafted silicone polymer is a polymer with a polysiloxane backbone grafted by at least one non-silicone organic monomer and comprises, in its structure, the unit of following formula (IV):



wherein the grafted silicone polymer corresponding to the formula (IV) is a polydimethylsiloxane to which are grafted, via a thiopropylene connecting link, mixed polymer units comprising poly ((meth)acrylic acid) and poly (alkyl (meth) acrylate).